

Work Order ID 142773

Friday, March 11, 2016 1:05:49 PM

142773

Page 1

Item ID: D3883-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Outboard LH
 Start Date: 4/29/2016 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 5/12/2016 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date MAR 15 2016 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3883	D

100	HAAS CNC VERTICAL MACHINING #1	0.03							
-----	--------------------------------	------	--	--	--	--	--	--	--

100

HAAS 1
HAAS CNC vertical machine #1

Memo

Program Batch No. B142773
 Double check by: ES
 1-Machine Step No 1 per Folio FA815 and inspect per attached Dimension Sheets
 2-Machine Step No 2 per Folio FA641 and inspect per attached Dimension Sheets
 3-Machine Step No 3 per Folio FA815 and inspect per Dimension Sheets

MILL AS PER DWG AND FOLIO FA815

FOLIO REV: D
 DWG REV: D

0.11

B.A. 16/05/04

10 0

DAS
08
9-89

DAS
20
9-89 16-05-05

105

105

Mill Conv
Conventional Milling Machine

Memo

MILL KEYWAY AS PER DWG

0.00

0.00

B.A. 16/05/04

10 0

DAS
20
9-89

DAS
08
9-89 16-05-05

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : ☐			
Misidentified ☐		Past Due ☐					

Work Order ID 142773

Friday, March 11, 2016 1:05:49 PM

142773

Page 3

Item ID: D3883-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Outboard LH
 Start Date: 4/29/2016 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 5/12/2016 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum	0.00							
140						10	0	16-05-30	DAS 38
Powdercoat	Memo	0.01							
Powder Coating	***MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT AS PER INDICATED ON DWG (SEE NOTE 2)*** <i>M 134631</i> ***DO NOT MASK INSIDE FLANGE SURFACE*** START TIME: <i>3:30</i> OVEN TEMPERATURE: <i>320°</i> FINISH TIME: <i>4:00</i>								
150	QC3- Inspect Part Finish	0.00							
150									
QC	Memo	0.00							
Quality Control									

(10)

DAS
38
9-89
MAY 31 2016



Work Order update only

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework Scrap Use-as-is Suspected Unapproved		AGAINST DEPARTMENT/PROCESS Skid-tube Machining Thermoforming Large Fab Cross tube Small Fab Finishing Composite Water Jet Prod. Eng. Coord. Rec/Store/Packaging Supplier Engineering Quality Other					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment Design Doc/Data Equip/Tooling Handling/Pre Material Internal Transport Tribal Knowledge LOA Substation Past Expiry Date Misidentified No Re-verification Operator Offset/Setup Supplier Training Use for Testing Poor Information Rushing Product Improvement Process Improvement Manufacturing Process Past Due		FAULT CATEGORY Pressure/Forced Bending Centre Not Concentric Cracks Crimp/Kink/Ripple/Wave Cuffs Crushing Heat Treat Wave/Twist in Tube Marks/Chatter Temperature/Cure Set-up BOM/Route Broken/Damage/Defect Inspection Incomplete/Unqualified Contamination Countersink Cut Too Short Instructions Incomplete/Unclear Drill Holes Power Loss/Surge Folio/Program Grain Weld Wrong Stock Pulled Out of Sequence Off-set Mislabeled Fit/Function Misaligned/off center Positioned Wrong Outside Dimensions Over/Under tolerance Part Incorrect Part Lost/Missing Part Moved Drawing Finish Misread Turning Sequence							
		OTHER :							

Work Order ID 142773

Friday, March 11, 2016 1:05:49 PM

142773

Page 4

Item ID: D3883-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, Outboard LH
Start Date: 4/29/2016 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 5/12/2016 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location <i>ST 404</i>	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.02							
Quality Control									

10x 80/16-05-31

MLJ **MAY 31 2016**

MLJ **MAY 31 2016**

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																											
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																							
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____	
Misidentified ☐	Past Due ☐																																																														

Picklist Print

Page 1

Friday, March 11, 2016 1:05:53 PM

Work Order ID: 142773

142773

Parent Item: D3883-1

D3883-1

Parent Item Name: Saddle, Outboard LH

Start Date: 4/29/2016

Required Date: 5/12/2016

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP RevA: New issue DD verified by:EC
15.05.20 remove inside powdercoat DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6101-015		Manufactured	No			100	Each	40.0000	1	10			
-----------	--	--------------	----	--	--	-----	------	---------	---	----	--	--	--

D6101-015

Saddle Billet

B.A 16/04/28

Location

Loc Qty

Loc Code

MAT045

40

135497

6

135836

4

137531

10

→ 137692

20

10.0

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
		OTHER : ☐							

DART AEROSPACE LTD		Work Order:	142773
Description: Saddle, Outboard, LH		Part Number:	D3883-1
Inspection Dwg: D3883	Rev. D	Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		0.647	0.647	0.647	0.647		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		0.258	0.258	0.258	0.258		
F	0.605	0.625		0.615	0.615	0.615	0.615		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.000	2.000	2.000	2.000		
J	0.140	0.165		.150	.150	.150	.150		
K	0.240	0.260		.247	.247	.247	.248		
L	0.115	0.135		.124	.124	.124	.125		
M	0.140	0.165		.149	.150	.149	.150		
N	0.720	0.780		0.760	0.760	0.760	0.760		
O	0.240	0.260		.253	.253	.254	.254		
P	0.110	0.140		0.135	0.135	0.135	0.135		
Q	0.178	0.198		0.188	0.188	0.188	0.188		
R	2.825	2.885		2.855	2.855	2.855	2.855		
S	0.316	0.321		0.316	0.316	0.316	0.316		
T	0.990	1.010		1.000	1.000	1.000	1.000		
U	1.745	1.755		1.750	1.750	1.750	1.750		
V	5.990	6.010		6.000	6.000	6.000	6.000		
W	1.245	1.255		1.250	1.250	1.250	1.250		
X	0.490	0.510		.4995	.500	.499	.499		
Y	1.220	1.280		1.250	1.250	1.250	1.250		
Z	2.495	2.505		2.500	2.500	2.500	2.500		
AA	0.313	0.318		0.314	0.314	0.314	0.314		
AB	0.020	0.040		0.030	0.030	0.030	0.030		
AC	0.760	0.765		0.760	0.760	0.760	0.760		
AD	0.215	0.220		0.218	0.218	0.218	0.218		
AE	1.265	1.285		1.265	1.265	1.265	1.265		
AF									
Accept/Reject									

Measured by: <u>JS</u>	DAS 20	Audited by: <u>14</u>
Date: <u>16/05/04</u>	08 9-89 16-05-05	Date: <u>16/05/06</u>

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order:	142733
Description: Saddle, Outboard, LH		Part Number:	D3883-1
Inspection Dwg: D3883	Rev. D	Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	#5	#6	#7	#8	By	Date
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		0.647	0.647	0.647	0.647		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		0.258	0.258	0.258	0.258		
F	0.605	0.625		0.615	0.615	0.615	0.615		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.000	2.000	2.000	2.000		
J	0.140	0.165		.151	.151	.151	.151		
K	0.240	0.260		.247	.249	.248	.248		
L	0.115	0.135		.124	.124	.124	.125		
M	0.140	0.165		.150	.151	.151	.150		
N	0.720	0.780		0.760	0.760	0.760	0.760		
O	0.240	0.260		.254	.256	.254	.252		
P	0.110	0.140		0.135	0.135	0.135	0.135		
Q	0.178	0.198		0.188	0.188	0.188	0.188		
R	2.825	2.885		2.855	2.855	2.855	2.855		
S	0.316	0.321		0.316	0.316	0.316	0.316		
T	0.990	1.010		1.000	1.000	1.000	1.000		
U	1.745	1.755		1.750	1.750	1.750	1.750		
V	5.990	6.010		6.000	6.000	6.000	6.000		
W	1.245	1.255		1.250	1.250	1.250	1.250		
X	0.490	0.510		.499	.500	.500	.500		
Y	1.220	1.280		1.250	1.250	1.250	1.250		
Z	2.495	2.505		2.500	2.500	2.500	2.500		
AA	0.313	0.318		0.314	0.314	0.314	0.314		
AB	0.020	0.040		0.030	0.030	0.030	0.030		
AC	0.760	0.765		0.760	0.760	0.760	0.760		
AD	0.215	0.220		0.218	0.218	0.218	0.218		
AE	1.265	1.285		1.265	1.265	1.265	1.265		
AF									
Accept/Reject									

Measured by: <u>B.E.</u>	DAS 20	Audited by: <u>13</u>
Date: <u>16/05/04</u>	08 9-89 16-05-05	Date: <u>16/05/06</u>

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order:	142773
Description: Saddle, Outboard, LH		Part Number:	D3883-1
Inspection Dwg: D3883	Rev. D	Page 1 of 1	


Inspect dimensions highlighted on inspection sheet drawing and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	19	10	3	4	By	Date
A	2.870	2.880		2.875	2.875				
B	1.433	1.443		1.438	1.438				
C	0.638	0.658		0.647	0.647				
D	3.895	3.905		3.900	3.900				
E	0.257	0.262		0.258	0.258				
F	0.605	0.625		0.615	0.615				
G	1.120	1.130		1.125	1.125				
H	2.245	2.255		2.250	2.250				
I	2.000	2.020		2.000	2.000				
J	0.140	0.165		.150	.150				
K	0.240	0.260		.248	.248				
L	0.115	0.135		.124	.124				
M	0.140	0.165		.149	.149				
N	0.720	0.780		0.760	0.760				
O	0.240	0.260		.253	.256				
P	0.110	0.140		0.135	0.135				
Q	0.178	0.198		0.188	0.188				
R	2.825	2.885		2.855	2.855				
S	0.316	0.321		0.316	0.316				
T	0.990	1.010		1.000	1.000				
U	1.745	1.755		1.750	1.750				
V	5.990	6.010		6.000	6.000				
W	1.245	1.255		1.250	1.250				
X	0.490	0.510		.499	.501				
Y	1.220	1.280		1.250	1.250				
Z	2.495	2.505		2.500	2.500				
AA	0.313	0.318		0.314	0.314				
AB	0.020	0.040		0.030	0.030				
AC	0.760	0.765		0.760	0.760				
AD	0.215	0.220		0.218	0.218				
AE	1.265	1.285		1.265	1.265				
AF									
Accept/Reject									

Measured by:	DAS 20 9-89
Date:	16-05-05

Audited by:	DAS 14 9-89
Date:	16/05/06



Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	



D3883-1 SADDLE, OUTBOARD LH

NOTES:

- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO
MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3883-1-REV.D.SLDPRT"



FOR COPY
ON TO
DRAWING
FILED COPY
REVISION
NOTICE
ORDER


142373MLJ
160315


RELEASED

2015 MAY 19
A.P. Ecn15-575

D	GENERAL REDRAW, ADDED D3883-2 ON SHEETS 3 & 4. ADDED NOTE 9 & REMOVED UNNECESSARY DIMS. REMOVED POWDER COAT ON INSIDE SURFACE OF D3883-1/2	AP	15.02.11
C	ADD R1.265 (ZN D8-2)	RF	09.11.09
B	D6101-015, ZN A7-1: ADD 0.648, ZN D7-1: ADD 0.615, ZN D6- 1: ADD 0.125, ZN D7-2: ADD 0.060 & R0.031, ZN B5-2: 0.75 WAS 0.728, ZN C7-2	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. D
MFG. APPR.	JLM	D3883	SHEET 1 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OUTBOARD SADDLE	NTS
DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

APPROVED






D3883-2 SADDLE, OUTBOARD RH





NOTES:

- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3883-2-REVD.SLDPRT"



RELEASED
A.P. 2015 MAY 19

APPROVED	DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
	DRAWN	AP		
	CHECKED	AJS	DRAWING NO.	REV. D
	MFG. APPR.	JLM	D3883	SHEET 3 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	OUTBOARD SADDLE	NTS
DATE 15.02.11			COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS COVENANT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIES OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



RELEASED
A-2015 MAY 19

APPROVED	DESIGN	AP	DART AEROSPACE USA, INC.	
	DRAWN	AP	KENT, WA	
	CHECKED	AJS	DRAWING NO.	REV. D
	MFG. APPR.	JLM	D3883	SHEET 4 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	OUTBOARD SADDLE	NTS
DATE		15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	